



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—UNTABULATED.

CALIFORNIA—*Oakland*.—Month of March, 1907. Estimated population, 200,000. Total number of deaths, 211, including diphtheria 2, enteric fever 3, and 21 from tuberculosis. Cases of contagious diseases reported: Diphtheria 23, enteric fever 30, measles 16, scarlet fever 9, and tuberculosis 4.

San Jose.—Month of March, 1907. Estimated population, 30,000. Total number of deaths, 35, including 1 from diphtheria. Cases of contagious diseases reported: Diphtheria 6, enteric fever 1, measles 3, scarlet fever 2, and tuberculosis 6.

FLORIDA.—Reports to the State board of health for the week ended April 6, 1907, show as follows: Diphtheria—*Jacksonville*, 1 case. Enteric fever—*Bayard* and *Jacksonville*, 3 cases; *Plant City*, 1 case; *Wauchula*, 1 case. Smallpox—*Bartow* and *Lakeland*, 29 cases; *Jacksonville*, 1 case; *Madison*, 1 case; *Port Tampa*, 7 cases. Tuberculosis—*Chipley*, *Jacksonville*, *Myrtle*, *Nocatee*, *Tallahassee*, and *Tampa*, each 1 case.

Pensacola.—Month of March, 1907. Estimated population, 22,256. Total number of deaths, 56, including diphtheria 1, enteric fever 2, whooping cough 1, and 1 from tuberculosis. Cases of contagious diseases not reported.

ILLINOIS—*Alton*.—Month of March, 1907. Estimated population, 16,700. Total number of deaths, 24, including enteric fever 1, and 6 from tuberculosis. Cases of contagious diseases reported: Enteric fever 1 and tuberculosis 6.

Quincy.—Month of March, 1907. Estimated population, 43,000. Total number of deaths, 47, including enteric fever 1, and 3 from tuberculosis. Cases of contagious diseases reported: Diphtheria 6, enteric fever 4, measles 51.

INDIANA—*Jeffersonville*.—Month of March, 1907. Estimated population, 10,818. Total number of deaths, 11, including enteric fever 1, measles 1, and 3 from tuberculosis. Cases of contagious diseases reported: Diphtheria 1, enteric fever 8, measles 114, scarlet fever 3, and tuberculosis 3.

IOWA—*Keokuk*.—Month of March, 1907. Estimated population, 16,000. Total number of deaths, 29. No deaths from contagious diseases. Two cases of scarlet fever reported.

Ottumwa.—Month of March, 1907. Estimated population, 23,000. Health department reports as follows: Total number of deaths, 18, including scarlet fever 1 and 2 from tuberculosis. Cases of contagious diseases reported: Measles 10, scarlet fever 1, smallpox 1, whooping cough 14, and tuberculosis 4.

MASSACHUSETTS.—Reports from the State board of health for the month of February, 1907, show as follows: Week ended February 2,

1907. Forty cities and towns, having an aggregate estimated population of 2,120,183. Total number of deaths, 828, including diphtheria 13, enteric fever 1, measles 2, and 81 from phthisis pulmonalis. Cases: Diphtheria 185, enteric fever 32, measles 71, scarlet fever 259, whooping cough 11, tuberculosis 63. Week ended February 9, 1907. Number of localities reporting, 43. Estimated population, 2,201,627. Total number of deaths, 783; diphtheria 9, enteric fever 4, phthisis pulmonalis 82. Cases: Diphtheria 184, enteric fever 25, measles 71, scarlet fever 263, whooping cough 6, tuberculosis 87. Week ended February 16, 1907. Number of localities reporting, 43. Estimated population, 2,118,846. Total number of deaths, 816; diphtheria 9, enteric fever 5, phthisis pulmonalis 85. Cases: Diphtheria 166, enteric fever 27, measles 72, scarlet fever 231, whooping cough 3, tuberculosis 74. Week ended February 23, 1907. Number of localities reporting, 46. Estimated population, 2,271,133. Total number of deaths, 808; diphtheria 7, enteric fever 4, measles 2, phthisis pulmonalis 69. Cases: Diphtheria 178, enteric fever 17, measles 57, scarlet fever 186, whooping cough 7, tuberculosis 67.

MINNESOTA—*Minneapolis*.—Month of February, 1907. Estimated population, 285,000. Total number of deaths, 255, including diphtheria 3, enteric fever 7, smallpox 1, whooping cough 3, and 29 from tuberculosis. Cases of contagious diseases reported: Diphtheria 60, enteric fever 14, scarlet fever 25, smallpox 56, tuberculosis 19.

MISSISSIPPI—*Biloxi*.—Month of March, 1907. Estimated population, 8,000. Total number of deaths, 8, including 1 from enteric fever. Cases of contagious diseases reported: Enteric fever 9, measles 25.

NEW HAMPSHIRE—*Franklin*.—Month of March, 1907. Estimated population, 6,000. Total number of deaths, 9, including 1 from tuberculosis. Cases of contagious diseases reported: Tuberculosis, 1.

NEW JERSEY—*Morristown*.—Month of March, 1907. Estimated population, 12,500. Total number of deaths, 25, including 2 from scarlet fever. Cases of contagious diseases reported: Diphtheria 1, measles 1, scarlet fever 11.

NEW YORK.—Month of February, 1907. Estimated population, 8,331,075. Reports to the State department of health show as follows: Total number of deaths, 13,093, corresponding to an annual death rate of 18.8 per 1,000 of the population, includes enteric fever 114, measles 44, scarlet fever 85, whooping cough 63, diphtheria 260, and 1,457 from phthisis pulmonalis.

Cases of contagious diseases reported: Diphtheria 1,275, enteric fever 267, measles 1,161, scarlet fever 1,282, smallpox 36, and tuberculosis 1,466.

Buffalo.—Month of March, 1907. Estimated population, 400,000. Total number of deaths, 572, including diphtheria 8, enteric fever 9, measles 4, scarlet fever 5, whooping cough 3, and 45 from tuberculosis.

Cases of contagious diseases reported: Diphtheria 39, enteric fever 25, measles 233, scarlet fever 75, whooping cough 53, and tuberculosis 50.

Saratoga Springs.—Month of March, 1907. Estimated population, 11,822. Total number of deaths, 24. One death from tuberculosis reported. Cases of contagious diseases reported: Diphtheria 4, enteric fever 2, measles 1, scarlet fever 1, and tuberculosis 2.

OHIO—*Ironton*.—Month of January, 1907. Estimated population, 18,000. Total number of deaths, 18. No deaths from contagious diseases. Month of February, 1907. Total number of deaths, 29. No deaths from contagious diseases. Month of March, 1907. Total number of deaths, 15. No deaths from contagious diseases.

Newark.—Month of March, 1907. Estimated population, 28,500. Total number of deaths, 29, including 2 from tuberculosis.

Springfield.—Month of March, 1907. Estimated population, 45,000. Total number of deaths 65, including measles 1, whooping cough 1, and 10 from tuberculosis. Cases of contagious diseases reported: Diphtheria 2, measles 78, smallpox 1, and scarlet fever 3.

PENNSYLVANIA—*Dunmore*.—Month of March, 1907. Estimated population, 17,500. Total number of deaths, 12, including whooping cough 1 and 2 from tuberculosis. Cases of contagious diseases reported: Diphtheria 2, enteric fever 3, whooping cough 1, scarlet fever 4, and tuberculosis 2.

Newcastle.—Month of March, 1907. Estimated population, 36,500. Total number of deaths, 58, including enteric fever 2 and 2 from tuberculosis. Cases of contagious diseases reported: Diphtheria 13, enteric fever 10, scarlet fever 1, whooping cough 1, and tuberculosis 2.

RHODE ISLAND.—Month of November, 1906. Total number of deaths reported to the State board of health, 639, including 85 from tuberculosis. Cases of contagious diseases reported: Diphtheria 80, enteric fever 38, measles 6, and scarlet fever 111.

VIRGINIA—*Newport News*.—Month of March, 1907. Estimated population, 28,749. Total number of deaths reported, 34, including enteric fever 2, and 8 from tuberculosis.

Richmond.—Month of January, 1907. Estimated population, 87,612—white, 54,388; colored, 33,224. Total number of deaths, 252—white, 117; colored, 135—including enteric fever 3, and 26 from tuberculosis. Cases of contagious diseases reported: Diphtheria 18, enteric fever 23, measles 99, scarlet fever 2, and smallpox 7.

Month of February, 1907. Total number of deaths, 226—white, 105; colored, 121, including diphtheria 1, enteric fever 2, measles 6, and 25 from tuberculosis. Cases of contagious diseases reported: Diphtheria 10, enteric fever 22, measles 419, scarlet fever 2, smallpox 6, and whooping cough 1.

WASHINGTON—*Seattle*.—Month of January^a, 1907. Estimated population, 200,000. Total number of deaths, 130, including diphtheria 2, enteric fever 4, and 11 from tuberculosis. Cases of contagious diseases reported: Diphtheria 39, enteric fever 4, measles 80, scarlet fever 18, smallpox 4, whooping cough 1, and tuberculosis 10.

Smallpox in the United States as reported to the Surgeon-General, Public Health and Marine-Hospital Service, December 28, 1906, to April 19, 1907.

[For reports received from June 29, 1906, to December 28, 1906, see PUBLIC HEALTH REPORTS for December 28, 1906.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

Place.	Date.	Cases.	Deaths.	Remarks.
Arkansas:				
Fort Smith.....	Dec. 2-15.....	2		
Total for State.....		2		
California:				
General.....	Dec. 1-Feb. 28.....		2	
Los Angeles.....	Dec. 23-Feb. 23.....	5		
Plumas County, Quincy included.	Dec. 1-15.....	10		
San Francisco.....	Dec. 6-Mar. 30.....	6		
Total for State.....		21	2	
Colorado:				
Boulder County.....	Nov. 1-30.....	1		
Conejos County.....	Nov. 1-30.....	1		
Denver County, Denver.	Dec. 1-31.....	7		
La Plata County.....	Dec. 1-31.....	1		
Las Animas County.....	Nov. 1-Dec. 31.....	45		
Logan County.....	Nov. 1-30.....	1		
Otero County.....	Nov. 1-Dec. 31.....	2		
Pueblo County.....	Nov. 1-Dec. 31.....	6		
Weld County.....	Dec. 1-31.....	13		
Total for State.....		77		
Connecticut:				
Manchester.....	Dec. 1-31.....	1		
Stamford.....	Jan. 1-31.....	1		
Total for State.....		2		
Delaware:				
Reedy Island Quarantine.	Dec. 22-27.....	1		On ss. Oswestry from Huelva, Spain.
Total for State.....		1		
Florida:				
Duval County, Jacksonville	Feb. 17-Apr. 6.....	5		
Hillsboro County, Tampa included.	Mar. 3-Apr. 6.....	14		
Hudson County, Madison included.	Apr. 1-6.....	1		
Marion County, Reddick and Anthony included.	Jan. 20-26.....	7		
Polk County, Barstow and Lakeland included.	Jan. 20-Apr. 6.....	52		
Suwannee County, Live Oak included.	Mar. 24-30.....	1		
Total for State.....		80		
Georgia:				
Augusta.....	Dec. 26-Apr. 9.....	84		
Total for State.....		84		
Illinois:				
Abingdon.....	Nov. 10-16.....	1		
Bellefonte.....	Feb. 23-Mar. 1.....	1		

^a For month of February, 1907, see Public Health Reports, March 29, 1907.